



TITLE:

Cover

AUTHOR(S):

---

CITATION:

Cover. The Review of Physical Chemistry of Japan 1967, 37(1)

ISSUE DATE:

1967-11-30

URL:

<http://hdl.handle.net/2433/46889>

RIGHT:

H. Hara

Vol. 37, 1967

No. 1

# THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

## CONTENTS

<b>Kazuo Yasunami</b> : A New Method of Determining the Transition Pressure of Mercury at 0°C as a Fixed Point of High Pressures .....	1
<b>Jiro Osugi, Kiyoshi Shimizu, Kazuo Yasunami and Akifumi Onodera</b> : Liquid-Solid Transition at High Pressure (II), Monochlorobenzene and Toluene at 0°C.....	10
<b>Ryozo Goto, Tsutomu Asano, Kiyoshi Matsumoto and Akira Sera</b> : Organic Reactions under High Pressure (I), Pressure and Solvent Effects on the Migratory Aptitude of <i>o</i> -Anisyl Group .....	16
<b>Hironobu Kubota</b> : Studies on the Kinetics of the Gas-phase Addition Reaction of HI to Butadiene (I).....	25
<b>Hironobu Kubota</b> : Studies on the Kinetics of the Gas-phase Addition Reaction of HI to Butadiene (II) .....	32
<b>Jiro Osugi and Muneo Sakaki</b> : Kinetic Studies on Fast Reactions in Solution (II), The Reaction between 1, 3, 5-Trinitrobenzene and Diethylamine in Acetone.....	43
<b>Goro Morimoto</b> : Physikochemische Untersuchung über die 6-Substituierten 2, 4-Diamino-1, 3, 5-Triazine.....	54

## ADDENDUM :

<b>Tsunesuke Doi</b> : Physico-Chemical Properties of Sulfur (I), Pressure Effects on Viscosity of Liquid Sulfur .....	62
--	----

THE PHYSICO-CHEMICAL SOCIETY OF JAPAN

# THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

**President:** Shinkichi Horiba, Professor Emeritus, M. J. A.

**Members of Council:**

Azuma Okuda (Chief)

J. Osugi	S. Kachi	I. Tsujikawa
K. Kodera	H. Takagi	A. Kaji
R. Goto	H. Hatano	A. Saika
T. Yamamoto	W. Jono	
T. Fujinaga	R. Goto	
E. Suito		

**Board of Editors:**

J. Osugi (Chief)	<i>Kyoto University</i>
W. Jono (Associate)	<i>Osaka Prefectural Woman College</i>
R. Goto ( " )	<i>Kyoto University</i>
E. Suito ( " )	<i>Kyoto University</i>
S. Shida	<i>Tokyo Institute of Technology</i>
T. Kitagawa	<i>Yokohama University</i>
M. Tamura	<i>Kyoto University</i>
H. Matsuyama	<i>Doshisha University</i>
T. Makita	<i>Kyoto Technical University</i>
K. Suzuki	<i>Ritsumeikan University</i>
K. Hirota	<i>University of Osaka</i>
S. Seki	<i>University of Osaka</i>
T. Ishino	<i>Himeji Institute of Technology</i>
T. Imoto	<i>Municipal University of Osaka</i>
R. Fujishiro	<i>Municipal University of Osaka</i>
O. Toyama	<i>Prefectural University of Osaka</i>
S. Ono	<i>Prefectural University of Osaka</i>
S. Tsuchihashi	<i>University of Kobe</i>
S. Hasegawa	<i>Okayama University</i>
H. Togawa	<i>Doshisha University</i>

**Secretary:**

K. Shimizu	M. Sasaki
T. Fujiwara	

November 30, 1967

**Communications to the Editor** should be addressed to Board of Editors, The Physico-Chemical Society of Japan, College of Science, Kyoto University, Kyoto, Japan.

**Business Correspondences** should be addressed to: Secretary, The Physico-Chemical Society of Japan, College of Science, Kyoto University, Kyoto, Japan.

**Purchase Order** should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by


**THE PHYSICO-CHEMICAL SOCIETY OF JAPAN**

(Nippon Butsuri-Kagaku Kenkyu Kai)

College of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA INSATSU CO., Kyoto, Japan

# The World Knows...



...how the technical know-how of Toyo Koatsu is contributing to the increase of agricultural production, the modernization of industries and the betterment of people's daily lives. Toyo Koatsu techniques are licensed, and products have been exported to more than 30 countries.

These include urea, ammonium sulphate, synthetic resins and plastics, and other chemicals.



**TOYO KOATSU**  
Industries, Inc.

1-1-1, Honcho, Chiyoda-Ku, Tokyo  
Cable address: TOATSUIND, TOKYO

# NISSO SERVING ALL INDUSTRIES THROUGH CHEMICALS



- NISSO HI-CHLON, Granule, Tablet  
(Calcium Hypochlorite 70% up)
- HIGH BLEACHING POWDER  
(Calcium Hypochlorite 60% up)
- SODIUM CYANIDE 97% min.  
Ball, Granule, Powder
- POTASSIUM CYANIDE 98% min.  
Ball, Granule, Powder
- SODIUM HYDROSULFITE  
85% or 90% min.
- CAUSTIC SODA, Flake  
97% or 98% min.
- CAUSTIC POTASH, Solid, Flake  
98% min.
- POTASSIUM CARBONATE, Granule  
99.5% min.
- WHITEX (Benzole Peroxide 22-25%)  
Flour Bleach
- TDI 2, 4-TDI 80%  
(Tolylene Diisocyanate)
- POLYPROPYLENE GLYCOL
- ORTHO-TOLUNENE-SULFONAMIDE
- SULFAISOXAZOLE (SULPHAFURAZOLE)  
U. S. Pharmacopeia XVII  
B. Pharmacopeia 1963
- HYDROXY PROPYL CELLULOSE



**NIPPON SODA CO., LTD.**

Head Office : Ohtemachi, Tokyo, Japan  
Cable Address : "SODANIPPON" TOKYO

## ASAHI CHEMICAL INDUSTRY CO., LTD.

**Capital:** ¥ 20,000,000,000

**President:** KAGAYAKI MIYAZAKI

**Head Office:** 25, 1-chome, Dojima-hamadori, Kita-ku, Osaka, Japan

**Tokyo Office:** 12, 1-chome, Yurakucho, Chiyoda-ku, Tokyo, Japan

**Other Branch Offices:** Nobeoka, Fuji, Fukuoka, Sapporo, Nagoya,  
Fukui, Kanazawa, New York, etc.

**Plants:** Nobeoka, Fuji, Kawasaki, Sakanoichi, Wakayama, Matsudo

**Laboratories:** Tokyo (Technical Research Laboratory)  
Takatsuki (Textile Research Laboratory)

Asahi's history dates as far back as 1923 when the late Mr. Jun Noguchi, who was the first president of the company, erected a synthetic ammonia plant in Nobeoka, present site of the company's major plants. This is a memorable plant in that the first commercial production of synthetic ammonia in the world by the Casale process was successfully started at this plant.


Thereafter Asahi's production activity continued to expand, with the exception of the war years, into great many fields. Using ample electric power from its own power plants and standing on the firmly established basis that primary raw materials are available within the company, Asahi has been producing chemical fibers, synthetic resin, explosives, chemical fertilizers, chemical seasoning, industrial nitrocellulose and several scores of chemicals of ammonia, soda and chlorine derivatives.

This fact points up to Asahi's special feature as a chemical company. Asahi ranks first in the production of viscose rayon in Japan and its cuprammonium rayon capacity is largest in the world. Using acrylonitrile monomer produced by Sohio process at its Kawasaki plant, Asahi produces polyacrylic fiber "Cashimilon" by its own process. Production acrylonitrile monomer and of polyacrylic fiber is also the largest in

Japan. Asahi's chemical seasoning (monosodium glutamate) Asahi Aji, ranks second in output of similar chemical seasonings. Sun-Nitro, Asahi's unique chemical fertilizer, is building up for itself a spectacular sales. Asahi's industrial nitrocellulose and electrolytic soda production is the largest in Japan. Asahi is also at the top in production volume of all the explosives manufacturers in Japan. Recently Asahi launched into three new fields of operation, i.e. nylon 6, synthetic rubber polybutadiene "ASADENE" and new building material "HEBEL".

At present, Asahi's products are exported to 50 different countries. Export of the process is also making headway. Worthy of mention in this connection is the export of viscose rayon manufacturing techniques to the Baroda Rayon Corporation, India, and Dawood Industries Limited, Pakistan, and of polyacrylic fiber manufacturing techniques to ANIC S. p. A., Italy. Through all these activities, the excellence of Asahi's techniques is highly evaluated.

Asahi now has many powerful affiliates, including Asahi-Dow Limited and Shin Nihon Chemical Industry Co., Ltd. and is proceeding on the road to further growth as a multiple-purpose chemical company.



Single crystals of HORIBA INSTRUMENTS, INC., offered as complete products ready to use which are free from impurity absorption, have acquired worldwide reputations.

Our scintillators, such as NaI (Tl), CsI (Tl) or  $\text{CaI}_2$  are also credited and used internationally by the nuclear scientists, for the established qualities.

	NaCl	KCl	KBr	KI	LiF	AgCl	KRS-5*	KRS-6*	CsI
Limit of transparency (microns)	~15	~21	~27	~31	~6	~30	~40	~34	~70
Refractive index:	1.555	1.498	1.559	1.667	1.394	2.071	2.629	2.336	1.987
Solubility:**	35.7	28.5	53.5	127.5	0.27	$8.9 \times 10^{-5}$	0.02	0.32	44
Specific gravity: gr/cm <sup>3</sup>	2.16	1.59	2.75	3.13	2.64	5.56	7.2	7.19	4.53
Melting point: °C	801	776	730	680	843	455	415	424	621
Maximum diameter: mm	120	120	120	120	100	60	60	60	60
Maximum height: mm	100	100	100	70	60	100	60	100	100

\* KRS-5 is a compound single crystal of TlI and TlBr, and KRS-6 is a compound single crystal of TlCl and TlBr.

\*\* g/100 gr water at normal temperature.



# HORIBA

INSTRUMENTS, INC.

## Head office & Factory:


Miyano Higashi-machi,  
Kissyojin, Minami-Ku, Kyoto  
Tel: (075) 313-8121

## Tokyo branch office:


No. 2-18, Nishihatchobori, Chuo-ku,  
Tokyo Tel: (03) 552-7661



# VERY HIGH PRESSURE EQUIPMENT



"DIA" Equipment, Cubic Type Very High Pressure Equipment, Anvil Face 10mmX10mm, Total Weight 8 ton



S.H.P. Measurement Gauge, Electrical Resistance Strain Gauge Type,  
Calibrated with the Master Free-Piston Gauge in Kobe Steel.  
(Japanese PAT. No.294153)

 **KOBE STEEL**

**MACHINERY DIVISION**

HEAD OFFICE: 36, 1-chome, Wakinohama-cho, Fukui-ku,  
Kobe, Japan

OVERSEAS OFFICES: New York, Düsseldorf, New Delhi

TOKYO OFFICE: Yanagiya Bldg., No. 2-1, Tori 2-Chome,  
Chuo-ku, Tokyo, Japan

Liquid Pressure up to 15,000kg/cm<sup>2</sup>  
Solid Pressure up to 100,000kg/cm<sup>2</sup>  
for Production and Research Purposes  
Super High Pressure Generator Unit  
Super High Pressure Reaction Vessel  
Super High Pressure Measurement  
Gauge  
Super High Pressure Equipment

**Other Major Products :**

Fertilizer Plant, Cement Plant, Oxygen  
Plant, Rolled Steel Products, Steel  
Castings & Forgings, General Industrial  
Machinery, Light Metal Alloy Cas-  
tings & Forgings, Titanium Products,  
Arc Welding Electrodes, Small Tools,  
Non Ferrous Metals & Their Products,  
Sugar Cane Milling Plant and others.

*As specialists we have contributed to the world industries since 1924.*

# DAIKIN FLUOROCHEMICAL PRODUCTS

## FLUOROCARBON REFRIGERANTS

DAIFLON-11  $\text{CCl}_3\text{F}$   
 DAIFLON-12  $\text{CCl}_2\text{F}_2$   
 DAIFLON-13  $\text{CClF}_3$   
 DAIFLON-21  $\text{CHCl}_2\text{F}$   
 DAIFLON-22  $\text{CHClF}_2$   
 DAIFLON-112  $\text{CCl}_2\text{F}-\text{CCl}_2\text{F}$   
 DAIFLON-113  $\text{CCl}_2\text{F}-\text{CClF}_2$   
 DAIFLON-114  $\text{CClF}_2-\text{CClF}_2$   
 DAIFLON-115  $\text{CClF}_2-\text{CF}_3$   
 DAIFLON-152  $\text{CH}_3-\text{CHF}_3$   
 DAIFLON-500 12/152 (73.8/26.2%wt.)  
 DAIFLON-502 22/115 (48.8/51.5%wt.)

## FLUOROCARBON SOLVENTS

DAIFLON SOLVENT S-1, S-2, S-3

## AEROSOL PROPELLENTS

DAIFLON Aerosol 50/50,  
 DAIFLON Aerosol 85/15

## FLUOROCARBON POLYMERS

POLYFLON Polytetrafluoroethylene  
 NEOFLON Copolymer of tetrafluoroethylene and hexafluoropropylene  
 DAIFLON Polymonochlorotrifluoroethylene  
 DAIFLOIL Low polymer of monochlorotrifluoroethylene

## FLUOROCHEMICALS

Anhydrous Hydrofluoric Acid  
 Aqueous Hydrofluoric Acid  
 Benzotrifluoride and its derivatives  
 Tributyltinfluoride (Antifouling paint)  
 FRATOL  $\text{CH}_3\text{FCOONa}$  (Rondenticide)  
 FUSSOL  $\text{CH}_3\text{FCOONH}_2$  (Agricultural chemical)  
 Other Fluorides



For information about products write below address.



**DAIKIN KOGYO CO., LTD.**

**Head Office :** Shin-Hankyu Bldg., 8, Umeda, Kita-ku, Osaka, Japan.  
 Tel: Osaka 312-1201

Cable Address : DAIKINOKAY

**Tokyo Branch :** Fuji Bldg., 5, 2-chome, Yaesu, Chuo-ku, Tokyo, Japan.  
 Tel: Tokyo 272-3211

Cable Address : TKYDAIKINOKAY